

MSDS No: 0100 Validation Date: 04/15/04 Revision No: 3

## **Material Safety Data Sheet**

Volara Type A All Colors, All Densities

*Volara Type A Derivatives:* AB, AO, AL, AA, AC, AF, AFL, AFR, AFX, AG, AGF, AGL, AH, AI, AT,AM, AR, AUL, AV, AVL, AW

### **SECTION 1: IDENTIFICATION**

Product Name:	Volara Type A		
Chemical Name:	Crosslinked Polyethylene Foam		
Synonyms:	PE Foam, X-Linked PE Foam, XLPE Foam, Polyethylene		
Chemical Family:	Polymeric; Polyethylene Plastic		
Manufacturer:	Voltek, LLC 100 Shepard Street Lawrence, MA 01843		
Telephone Numbers:	Emergency:	(M-F: 8-5 EST) 978-685-2557	(Weekends/Evenings) 978-685-6186
	Non-Emergency:	(Customer Service) 800-225-0668	(General) 978-685-2557

## **SECTION 2: COMPOSITION**

### EXEMPT

This product is considered to be an article according to 29 CFR, hazardous communication -1910.1200(b)(6)(v)

**OSHA REGULARITY STATUS** 

While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of the product.

### **SECTION 3: HAZARD IDENTIFICATION**

### Emergency Overview:

Hazards:	Molten polymer will cause thermal burns to skin. When heated irritating fumes may be produced.		
Physical State:	Solid		
Color:	According to product color.		
Odor:	Faint, mild hydrocarbon odor.		
Potential Health Effects:			
Routes of Exposure:	Poses no immediate hazard.		
Signs and Symptoms Of Acute Exposure:	No known acute exposure effects.		
Eye:	Solids or dusts may cause irritation or scratch the surface of the eye.		
Skin:	Not Irritating. Heated foam can stick to skin, causing thermal burns.		
Ingestion:	Ingestion not a likely route of exposure.		
Inhalation:	Inhalation of fumes and vapors generated by heating foam may cause soreness or irritation in the nose and throat. Exposure to dust may cause irritation.		
Chronic Health Effects:	No known chronic health effects.		
Conditions Aggravated by Exposure:	No known conditions are aggravated by exposure to this material.		

### **SECTION 4: FIRST AID MEASURES**

Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid. For specific information refer to the Emergency Overview in Section 3 of this MSDS.

Eye:	Flush particles from eyes with clean flowing water or eye wash solution for several minutes. Seek medical attention if discomfort persists.
Skin:	If heated material contacts the skin, immediately quench with cool flowing water. If foam/polymer sticks to skin, <i>do not peel</i> , seek immediate medical attention. If the burn is severe, obtain immediate emergency medical attention.
Ingestion:	If Ingested, seek medical attention.
Inhalation:	If symptoms are experienced, move affected individuals to fresh air. Obtain medical attention if breathing difficulty persists.

### **SECTION 5: FIRE FIGHTING MEASURES**

Flammability Classification:	Not Classified. Polyethylene foam will burn.		
Flash Point / Method:	Not applicable.		
Auto-Ignition Temperature:	650 °F (343 °C)		
Flammable Limits:	LOWER: Not applicable. UPPER: Not applicable.		
Hazardous Combustion Products:	Typical Polyethylene combustion products: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.		
Extinguishing Media:	SMALL FIRE: Use dry chemical, CO2, water spray LARGE FIRES: Water Spray		
Fire Fighting Instructions:			
Protective Equipment/ Clothing:	Wear an approved positive pressure self-contained breathing apparatus and firefighter turnout gear.		
INSTRUCTIONS:	Use flooding quantities of water until well after fire is extinguished.		

### SECTION 6: ACCIDENTAL RELEASE MEASURES

Release Response:	Pick up and retain for recycle or disposal.
Reportable Quantities:	See Section 15: Regulatory Information.

### SECTION 7: HANDLING AND STORAGE

Handling:	Keep scrap material off walking surfaces as this can create slipping hazards. Avoid accumulation of dust in enclosed space. Use in well-ventilated area. Use good housekeeping practices during storage, transfer, handling.
Storage:	Recommend storage indoors with adequate fire sprinkler protection. Store away from excessive heat, ignition sources and oxidizing agents. Keep poly-bag container closed to prevent moisture exposure, soiling and contamination. Foam rolls can be heavy, stacking rolls is not recommended.

## SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Engineering Controls:	Ventilate storage and use areas to prevent accumulation of dust and fumes.
Personal Protection:	
Eye:	Safety glasses are recommended.
Skin:	Protective clothing such as long sleeves or a lab coat should be worn.
Inhalation:	Use appropriate respiratory protection.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point:	Not applicable	pH:	Not applicable
Vapor Pressure:	Not applicable	Viscosity:	Not applicable
Specific Gravity:	0.02 to 0.40 ( water = 1 )	Water Solubility:	Insoluble
Melting Point:	104 - 138 °C (219 - 280 °F)	Evaporation Rate:	Not applicable

### SECTION 10: STABILITY AND REACTIVITY

**Chemical Stability:** The product is stable.

Conditions to Avoid: Avoid sparks, open flame or excessive heat. Avoid contact with oxidizers.

**Incompatibility with:** Material may be softened by some hydrocarbons. Reacts with fluorine gas.

### SECTION 11: TOXICOLOGICAL INFORMATION

Product Summary:	Volara is not considered to be toxic to humans or animals.
ACUTE ORAL EFFECTS:	No adverse health effects were noted on the digestive system of test animals when fed Volara Type A.
SKIN EFFECTS:	No adverse skin effects were noted on the skin of test animals when tested.
Reproductive / Development Effects	None known.

### SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity:	Ecotoxicity is expected to be minimal based on the low water solubility of polymers.	
Environmental Fate:	Unknown.	
Bioaccumulation:	Unknown.	
SECTION 13: DISPOSAL CONSIDERATIONS		

# Use only licensed transporters and permitted facilities for waste disposal. Recycle whenever possible.

### **SECTION 14: TRANSPORT INFORMATION**

Proper Shipping Name:	Crosslinked Polyethylene Foam		
DOT Hazard Class:	Not Regulated		
UN/NA ID:	Not Regulated	Marine Pollutant:	Unknown
Packing Group:	Not applicable	NAER Guidebook:	Not Regulated
Labels:	Not Regulated	DOT Status:	Not Regulated

### **SECTION 15: REGULATORY INFORMATION**

No additional regulatory information

### **SECTION 16: OTHER INFORMATION**

### DISCLAIMER OF RESPONSIBILITY:

The information on this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this MSDS information may not be applicable.